

L Number	Hits	Search Text	DB	Time stamp
2	66	(delta adj1 (fos or FosB)) or FosB	USPAT; US-PGPUB; EPO; DERWENT	2003/05/06 08:13
1	1	(delta adj1 (fos or FosB))	USPAT; US-PGPUB; EPO; DERWENT	2003/05/06 08:13
3	66	FosB	USPAT; US-PGPUB; EPO; DERWENT	2003/05/06 08:14
4	24	FosB and (skeletal or bone or osteo?)	USPAT; US-PGPUB; EPO; DERWENT	2003/05/06 08:15
5	4	FosB.clm.	USPAT; US-PGPUB; EPO; DERWENT	2003/05/06 08:15

STIC-ILL

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

OP351.565
NPL
444235

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

10486831
STIC-ILL

FL 268-42-048
Adams - No
444491

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

STIC-ILL

OP 356-2-B23
Adonis

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

STIC-ILL

10486830

no

Adams 444 496
only

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

STIC-ILL

QH506.M6
mi

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the G0 state.

Neuron 1994 Nov;13(5):1235-44

Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.

Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by chronic cocaine and other chronic treatments.

Woitach, Joseph

From: Woitach, Joseph
Sent: Tuesday, May 06, 2003 10:55 AM
To: STIC-ILL
Subject: references

Hello,

Could you send me the following references:

Cell 1991 Feb 22;64(4):751-9

Nakabeppu Y, Nathans D.

A naturally occurring truncated form of FosB that inhibits Fos/Jun transcriptional activity.

Mol Cell Biol 1993 Jul;13(7):4157-66

Nakabeppu Y, Oda S, Sekiguchi M.

Proliferative activation of quiescent Rat-1A cells by delta FosB

J Neurochem 1997 Jan;68(1):272-9

Bing G, Wang W, Qi Q, Feng Z, Hudson P, Jin L, Zhang W, Bing R, Hong JS.

Long-term expression of Fos-related antigen and transient expression of delta FosB associated with seizures in the rat hippocampus and striatum.

Eur J Neurosci 1998 May;10(5):1743-51

Porcella A, Gessa GL, Pani L.

Delta9-tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain.

Brain Res Mol Brain Res 1998 Jan;53(1-2):41-52

Perez-Otano I, Mandelzys A, Morgan JI.

MPTP-Parkinsonism is accompanied by persistent expression of a delta-FosB-like protein in dopaminergic pathways.

J Neurosci. 1997 Jul 15;17(14):5407-15

Mandelzys A, Gruda MA, Bravo R, Morgan JI.

Absence of a persistently elevated 37 kDa fos-related antigen and AP-1-like DNA-binding activity in the brains of kainic acid-treated fosB null mice.

Brain Res Mol Brain Res 1997 Jul;47(1-2):31-43

Hollen KM, Nakabeppu Y, Davies SW.

Changes in expression of delta FosB and the Fos family proteins following NMDA receptor activation in the rat striatum.

Oncogene 1995 Apr 6;10(7):1343-51

Oda S, Nishida J, Nakabeppu Y, Sekiguchi M.

Stabilization of cyclin E and cdk2 mRNAs at G1/S transition in Rat-1A cells emerging from the

G0 state.

Neuron 1994 Nov;13(5):1235-44

**Hope BT, Nye HE, Kelz MB, Self DW, Iadarola MJ, Nakabeppu Y, Duman RS, Nestler EJ.
Induction of a long-lasting AP-1 complex composed of altered Fos-like proteins in brain by
chronic cocaine and
other chronic treatments.**

Thank you,

Joseph Weitach
(703) 305-3732

office CM1/12E05
mail CM1/12E12

Tracking:

Recipient
STIC-ILL

Delivery
Delivered: 5/6/03 10:55 AM

Read
Read: 5/6/03 10:58 AM